

LITERATURE CITED

- Able, K. P. and B. R. Noon. 1976. Avian community structure along elevational gradients in the northeastern United States. *Oecologia* 26:275–294.
- Abramsky, Z. and M. L. Rosenzweig. 1984. Tilman's predicted productivity-diversity relationship shown by desert rodents. *Nature* 309:150–151.
- Airola, D. A. 1988. Guide to the California Wildlife Habitat Relationships System. California Dept. of Fish and Game, Rancho Cordova, California.
- Allan, J. D. 1995. Stream ecology: structure and function of running waters. Chapman and Hall, New York.
- Anderson, B. W., R. D. Ohmart, and J. Rice. 1983. Avian and vegetation community structure and their seasonal relationships in the lower Colorado River valley. *Condor* 85:392–405.
- Anderson, J.D. 1967. A comparison of the life histories of coastal and montane populations of *Ambystoma macrodactylum* in California. *The American Midland Naturalist* 77(2): 323-355
- Arora, D. 1986. Mushrooms demystified. 2nd ed. Ten Speed Press, Berkeley, California.
- Ascaso, C., J. Galvan, and C. Rodriguez-Oascal. 1982. The weathering of calcareous rocks by lichens. *Pedobiologica* 24:219–229.
- Austin, M. P. 1985. Continuum concept, ordination methods, and niche theory. *Ann. Rev. Ecol. Syst.* 16:39–61.
- Avery, T. E. and H. E. Burkhart. 1983. Forest measurements. 3rd ed. McGraw-Hill Book Co., New York.
- Bailey, R. C., M. G. Kennedy, M. Z. Dervish, and R. M. Taylor. 1998. Biological assessment of freshwater ecosystems using a reference condition approach: comparing predicted and actual benthic invertebrate communities in Yukon streams. *Freshwater Bio.* 39(4):765–774.
- Bailey, R. G. 1994. Ecological classification for the United States. USDA Forest Service, Washington, D.C.
- Baker, W. S., F. E. Hayes, and E. W. Lathrop. 1992. Avian use of vernal pools at the Santa Rosa Plateau Preserve, Santa Ana Mountains, California. *The Southwestern Naturalist* 37(4): 392-403.
- Baldassarre, G.A. and E.G. Bolen. 1994. Waterfowl ecology and management. New York: John Wiley & Sons, Inc.
- Banta, B.H. 1965. A distributional checklist of the recent amphibians inhabiting the state of Nevada. *Biological Society of Nevada Occasional Papers* 7: 1-4.

- Barbour, M. G. and J. Major, eds. 1988. Terrestrial vegetation of California. California Native Plant Society, Davis, California.
- Barinaga, M. 1990. Where have all the froggies gone? *Science* 247: 1033-1034.
- Barrett, N. E. and J. P. Barrett. 1997. Reserve design and the new conservation theory. Pages 236–251 in S. T. A. Pickett, R. S. Ostfeld, M. Shachak, and G. E. Lickens, eds. *The ecological basis of conservation: heterogeneity, ecosystems, and biodiversity*. Chapman and Hall, New York.
- Barrett, R. H. 1988. Red fir. Pages 42–43 in K. E. Mayer and W. F. Laudenslayer, eds. *A guide to wildlife habitats of California*. California Depart. of Forestry and Fire Protection, Sacramento, California.
- Barry, W. J. 1971. The ecology of *Populus tremuloides*: a monograph approach. Ph.D. dissertation, Univ. California, Davis. 730 pp.
- Bartolome, J. W. 1988. Lodgepole pine. Pages 44–45 in K. E. Mayer and W. F. Laudenslayer, eds. *A guide to wildlife habitats of California*. California Dept. of Forestry and Fire Protection, Sacramento, California.
- Bartos, D. L. and R. S. Johnston. 1978. Biomass and nutrient content of quaking aspen at two sites in the western United States. *Forest Sci.* 24(2):273–280.
- Basey, H. E., and D. A. Sinclair. 1980. Long-toed salamander. Page 20 in Verner, J., and A. S. Boss, technical coordinators. *California wildlife and their habitats: western Sierra Nevada*. Gen. Tech. Rep. PSW-37. Pacific Southwest Forest and Range Experiment Station, USDA Forest Service, Berkeley, CA.
- Basey, H., and S. Morey. 1988. Long-toed salamander. Pages 6-7 in Zeiner, D. C., W. F. Laudenslayer, Jr., and K. E. Mayer, eds. 1988. *California's wildlife, volume I: amphibians and reptiles*. California Department of Fish and Game, Sacramento, California.
- Bedford, S. E. and M. B. Usher. 1994. Distribution of arthropod species across the margins of farm woodlands. *Agriculture Ecosystems and Environ.* 48(3):295–305.
- Beer, J. R. 1964. Bait preferences of some small mammals. *J. Mammology* 45:632–634.
- Begon, M., J. L. Harper, and C. R. Townsend. 1990. *Ecology: individuals, populations and communities*, 2nd ed. Blackwell Science Publishers, Boston, Massachusetts.
- Behler, J. L., and F. W. King. 1979. *The Audubon Society field guide to North American reptiles and amphibians*. Alfred A. Knopf, New York.
- Blaustein, A.R. and D.B. Wake. 1990. Declining amphibian populations: a global phenomenon? *Trends in Ecology and Evolution* 5: 203-204.
- Blondel, J. 1987. From biogeography to life history theory: a multimathematical approach illustrated by the biogeography of vertebrates. *J. Biogeography* 14:405–422.

- Bock, C. E., V. A. Saab, T. D. Rich, and D. S. Dobkin. 1992. Effects of livestock grazing on neotropical migratory landbirds in western North America. USDA For. Serv. Gen. Tech. Rept. GTR-RM-229. Rocky Mountain Station, Fort Collins, Colorado.
- Borror, D. J. and R. E. White. 1970. A field guide to insects. Peterson field guide series. Houghton Mifflin Co., Boston, Massachusetts.
- Borror, D. J., C. A. Triplehorn, and N. F. Johnson. 1989. An introduction to the study of insects. 6th ed. Saunders College Publ., New York.
- Bowers, M. A. 1986. Density dynamics of bumblebees in subalpine meadows: competition and resource limitation. *Holarctic Ecology* 9(3):175–184.
- Boyce, S. G. and N. D. Cost. 1978. Forest diversity: new concepts and applications. USDA For. Res. Paper SE-194. Southwest Station, Ashville, North Carolina.
- Bradford, D.F. 1989. Allotopic distribution of native frogs and introduced fishes in high Sierra Nevada lakes of California: implication of the negative effect of fish introductions. *Copeia* 1989(3): 775-778.
- Bradford, D.F., F. Tabatabai, and D.M. Graber. 1993. Isolation of remaining populations of the native frog, *Rana muscosa*, by introduced fishes in Sequoia and Kings Canyon National Parks, California. *Conservation Biology* 7(4): 882-888.
- Brinkman, K. A. and E. I. Roe. 1975. Quaking aspen: silvics and management in the Lake States. USDA Agri. Handbook 486, Washington, D.C.
- Brittingham, M. C. and S. A. Temple. 1983. Have cowbirds caused forest songbirds to decline? *Bioscience* 33:31-35.
- Brockway, D. G. 1998. Forest plant diversity at local and landscape scales in the Cascade Mountains of southwestern Washington. *Forest Ecology and Mgt.* 10:323–341.
- Brown, B. T. 1994. Rates of brood parasitism by brown-headed cowbirds on riparian passerines in Arizona. *J. Field Ornithology* 65:160–168.
- Brown, J. H. 1995. *Macroecology*. Univ. Chicago Press, Chicago, Illinois.
- Brown, J. H. and D. W. Davidson. 1977. Competition between seed-eating rodents and ants in desert ecosystems. *Science* 196:880–882.
- Brown, M. and J.J. Dinsmore. 1986. Implications of marsh size and isolation for marsh bird management. *Journal of Wildlife Management* 50(3): 392-397.
- Burke, M. T. 1987. Grass Lake, El Dorado County, Candidate Research Natural Area, Lake Tahoe Basin Management Unit, United States Forest Service. University Arboretum, University of California Davis. August 1987. Davis, California.
- Burnett, M. R., P. V. August, J. H. Brown, Jr., and K. T. Killingbeck. 1998. The influence of geomorphological heterogeneity on biodiversity. I. A patch-scale perspective. *Conserv. Biol.* 12:363–370.

- Butler, L., G. A. Chrislip, V. A. Kondo, and E. C. Townsend. 1997. Effect of diflubenzuron on non-target canopy arthropods in closed, deciduous watersheds in a Central Appalachian forest. *J. Econ. Entomology* 90(3):784–794.
- Caduto, M.J. 1990. Pond and brook: a guide to nature in freshwater environments. University Press of New England, Hanover, New Hampshire.
- Campbell, R. C. 1989. Statistics for biologists. 3rd ed. Cambridge Univ. Press, Cambridge, United Kingdom.
- Carey, A. B. and M. L. Johnson. 1995. Small mammals in managed, naturally young, and old-growth forests. *Ecol. Applic.* 5(2):336–352.
- Carroll, C. R and G. K. Meffe. 1997. Meeting conservation challenges in an uncertain future. Pages 643–674 in G. K. Meffe and C. R. Carroll, eds. *Principles of conservation biology*. 2nd ed. Sinauer Assoc., Sunderland, Massachusetts.
- Chaney, E., W. Elmore, and W. S. Platts. 1990. Livestock grazing on western riparian areas. U. S. Environmental Protection Agency, Region 8, Denver, Colorado.
- Cody, M. L. 1975. Toward a theory of continental species diversities: bird distributions over Mediterranean habitat gradients. Pages 214–257 in M. L. Cody and J. M. Diamond, eds. *The ecology and evolution of communities*. Harvard Univ. Press, Cambridge, Massachusetts.
- Cody, M. L. 1993. Bird diversity components within and between habitats in Australia. Pages 147–158 in R. E. Ricklefs and D. Schlüter, eds. *Species diversity in ecological communities: historical and geographical perspectives*. Univ. Chicago Press, Chicago, Illinois.
- Collins, R. J. and G. W. Barrett. 1997. Effects of habitat fragmentation on meadow vole (*Microtus pennsylvanicus*) population dynamics in experiment landscape patches. *Landscape Ecol.* 12:63–76.
- Colwell, M.A. and S.L. Dodd. 1995. Waterbird communities and habitat relationships in coastal pastures of northern California. *Conservation Biology* 9(4): 827-834.
- Colwell, M.A. and S.L. Landrum. 1993. Nonrandom shorebird distribution and fine-scale variation in prey abundance. *The Condor* 95: 94-103.
- Congress of the United States. Unpubl. rept. OTA-F-331. Washington, D.C.
- Cooperrider, A. Y. 1986. Habitat evaluation systems. pp. 757-776 in Cooperrider, A.Y., R.J. Boyd, and H.R. Stuart, eds. *Inventory and monitoring of wildlife habitat*. Denver: U.S. Department of Interior, Bureau of Land Management Service Center.
- Cooperrider, A. Y. 1991. Conservation of biodiversity on western rangelands. Pages 40–53 in W. E. Hudson, ed. *Landscape linkages and biodiversity*. Island Press, Covelo, California.

- Corn, P. S. and R. B. Bury. 1990. Sampling methods for terrestrial amphibians and reptiles. USDA For. Serv. Gen. Tech. Rept. PNW-GTR-256. Pacific Northwest Station, Portland, Oregon.
- Cox, G. W. 1999. Alien species in North America and Hawaii: impacts on natural ecosystems. Island Press, Covelo, California.
- Crane, B. K. 1950. Condition and grazing capacity of wet meadows on the east slope of the Sierra Nevada Mountains. *J. Range Manage.* 3:303–337.
- Crist, T. O. and J. A. Wiens. 1995. Individual movements and estimation of population size in darkling beetles (Coleopter: Tenebrionidae). *J. Anim. Ecol.* 64(6):733–746.
- Curry, J. P. 1994. Grassland invertebrates: ecology, influence on soil fertility, and effects on plant growth. Chapman and Hall, New York.
- Dahlem, E. A. 1979. The Mahogany Creek watershed—with and without grazing. Pages 31–34 in O. B. Cope, ed. *Proc. of the Forum—grazing and riparian/stream ecosystems*. Trout Unlimited, Denver, Colorado.
- Dahlgren, R. A., J. L. Boettinger, G. L. Huntington, and R. G. Amundson. 1997. Soil development along an elevational transect in the western Sierra Nevada, California. *Geoderma* 78:207–236.
- Daily, G. C. and P R. Ehrlich. 1995. Preservation of biodiversity in small rainforest patches: rapid evaluations using butterfly trapping. *Biodiversity and Conserv.* 4:35–55.
- Daily, G. C., P. R. Ehrlich, and N. M. Haddad. 1993. Double keystone bird in a keystone species complex. *Proc. Natl. Acad. Sci.* 90(2):592–594.
- Daly, C. 1995. U. S. monthly precipitation, 1961 to 1990 base period (digital map layer). Oregon State Univ., Corvalis, Oregon.
- Daly, C. and G. L. Johnson. 1999. PRISM spatial climate layers: their development and use. Short course on topics in applied climatology, 79th annual meeting of the American Meteorological Society, 10–15 January, Dallas, Texas.
- Dawson, D. K., D. R. Smith, and C. S. Robbins. 1995. Point count length an detection of forest Neotropical migrant birds. Pages 35–44 in C. J. Ralph, J. R. Sauer, and S. Droege, eds. *Monitoring bird populations by point counts*. USDA For. Serv. Gen. Tech. PSW-GTR-149. Pacific Southwest Station, Berkeley, California.
- DeBano, L. F. and L. J. Schmidt. 1990. Potential for enhancing riparian habitats in the southwestern United States with watershed practices. *For. Eco. and Mgt.* 33/34:385–403.
- Debinski, D. M. and P. F. Brussard. 1994. Using biodiversity data to assess species-habitat relationships in Glacier National Park, Montana. *Ecol. Applic.* 4(4):833–843.

- DeByle, N. V. 1985. Wildlife. Pages 135–152 in N. V. DeByle and R. P. Winokur, eds. Aspen: ecology and management in the western United States. USDA For. Serv. Gen. Tech. Rept. GTR-RM-119. Rocky Mountain Station, Fort Collins, Colorado.
- DeByle, N. V. and J. C. Zasada. 1980. Aspen. Pages 96–97 in F. H. Eye, ed. Forest cover types of the United States and Canada. Soc. Amer. Foresters, Washington, D.C.
- DeByle, N. V. and R. P. Winokur, eds. 1985. Aspen: ecology and management in the western United States. USDA For. Serv. Gen. Tech. Rept. GTR-RM-119. Rocky Mountain Station, Fort Collins, Colorado.
- Dennis, A. 1995. Calflora computerized database. USDA Forest Service, Pacific Southwest Station, Berkeley, California.
- Desjardin, D. E. 1997. Spring fungi of the Sierra Nevada. Department of Biology, San Francisco State Univ., San Francisco, California.
- Diamond, J. M. 1973. Distributional ecology of New Guinea birds. *Science* 179:759–769.
- Dick-Peddie, W. A. 1993. New Mexico vegetation—past, present, and future. Univ. New Mexico Press, Albuquerque, New Mexico.
- Dietrich, M. and C. Scheidegger. 1997. Frequency, diversity , and ecolgocial strategies of epiphytic lichens in the Swiss Central Plateau and Pre-Alps. *Lichenologist* 29(3):237–258.
- Diffenforfer, J. E., N. A. Slade, M. S. Gaines, and R. D. Holt. 1995. Population dynamics of small mammals in fragmented and continuous old-field habitat. Pages 175–199 in W. Z. Lidicker, Jr., ed. *Landscape approaches in mammalian ecology and conservation*. Univ. Minnesota Press, Minneapolis, Minnesota.
- Dix, N. J. and J. Webster. 1995. *Fungal ecology*. Chapman and Hall, New York.
- Drost, C.A. and G.M. Fellers. 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, USA. *Conservation Biology* 10(2): 414-425.
- Duelli, P. O. and M. K. Obrist. 1998. In search of the best correlates for local organismal biodiversity in cultivated areas. *Biodiversity and Conserv.* 7(3):297–309.
- Duellman, W.E. and L. Trueb. 1986. *Biology of amphibians*. New York: McGraw-Hill, Inc.
- Dueser, R. D. and H. H. Shugart. 1978. Microhabitats in a forest floor small mammal fauna. *Ecology* 59:89–98.
- Ehrlich, P. R. and P. H. Raven. 1964. Butterflies and plants: a study in coevolution. *Evolution* 18:586–608.
- Ehrlich, P. R., D. S. Dobkin, and D. Wheye. 1988. *The birder's handbook*. Simon and Schuster, New York.

- Eldridge, J. 1990. Aquatic invertebrates: important for waterfowl production. U.S. Fish and Wildlife Leaflet 13.3.3.
- Elliott-Fisk, D. L., R. A. Rountree, T. A. Cahill, C. R. Goldman, G. Gruell, R. Harris, D. Leisz, S. Lindstrom, R. Kattelmann, D. Machida, R. Lacy, P. Rucks, D. a. Sharkey, and D. S. Ziegler. 1997. Lake Tahoe case study. Pages 217–276 in Sierra Nevada Ecosystem Project, Final Report to Congress, Addendum. Univ. of California Centers for Water and Wildland Resources Rept. No. 40, Davis, California.
- Ellison, A. M. 1993. Exploratory data analysis and graphic display. Pages 2–3 in S. M. Scheiner and J. Gurevitch, eds. Design and analysis of ecological experiments. Chapman and Hall, New York.
- Elton, C. 1927. Animal ecology. Sedgwick and Jackson, London.
- Emerson, W. K. and M. K. Jacobson. 1976. Guide to shells. Alfred Knopf, New York.
- Erhardt, A. and J. A. Thomas. 1991. Lepidoptera as indicators of change in the semi-natural grasslands of lowland and upland Europe. Pages 213–236 in N. M. Collins and J. A. Thomas, eds. The conservation of insects and their habitats. 15th Symp. Royal Entom. Soc. London. Academic Press, London.
- Erman, N. A. 1996. Status of aquatic invertebrates. Pages 987–1008 in Sierra Nevada Ecosystem Project, Final Report to Congress, vol. II, Assessments and scientific basis for management options. Univ. of California Centers for Water and Wildland Resources Rept. No. 37, Davis, California.
- Espinoza, R. 2000. Personal communication. University of Nevada, Center for Biodiversity, Reno, NV.
- Fauth, J. E., J. Bernardo, M. Camara, W. J. Resetarits, Jr., J. Van Buskirk, and S. A. McCollum. 1996. Simplifying the jargon of community ecology: a conceptual approach. Amer. Nat. 147:282–286.
- Feldman, R. S. and E. F. Connor. 1992. The relationship between pH and community structure of invertebrates in streams of the Shenandoah National Park, Virginia, USA. Freshwater Bio. 27(2):261–276.
- Fellers, G. 1998. Personal communication. U.S. Geological Survey, Biological Resources Division, Point Reyes, California.
- Fellers, G.M. and K.L. Freel. 1995. A standardized protocol for surveying aquatic amphibians. U.S. Department of Interior Technical Report NPS/WRUC/NRTR-95-01.
- Fisher, R. A., A. S. Corbet, and C. B. Williams. 1943. The relation between number of species and the individuals in a random sample of an animal population. J. Anim. Ecol. 12:42–58.
- Fisher, R.N. and H.B. Shaffer. 1996. The decline of amphibians in California's Great Central Valley. Conservation Biology 10(5): 1387-1397.

- Fitch, H. S. 1941. The feeding habits of California garter snakes. *California fish and game* 27:2-32.
- Fites, J. 1993. Ecological guide to mixed conifer plant associations: northern Sierra Nevada and Southern Cascades. USDA For. Serv. R5-ECOL-TP-001. Pacific Southwest Region, Vallejo, California.
- Fleischner, T. L. 1994. Ecological costs of livestock grazing in western North America. *Conserv. Biol.* 8(3):629–644.
- Forman, R. T. T. and M. Godron. 1986. *Landscape ecology*. John Wiley and Sons, New York.
- Franklin, J. F. and J. Fites-Kaufmann. 1996. Assessment of late-successional forests of the Sierra Nevada. Pages 627–662 in Sierra Nevada Ecosystem Project, Final Report to Congress, vol. II, Assessments and scientific basis for management options. Univ. of California Centers for Water and Wildland Resources Rept. No. 37, Davis, California.
- FRRAP. 1988. California's forests and rangelands: growing conflict over changing uses. Forest and Rangeland Resources Assessment Program, California Dept. of Forestry and Fire Protection, Sacramento, California.
- Furniss, R. L. and V. M. Carolin. 1977. Western forest insects. USDA Misc. Publ. 1339, Washington, D.C.
- Gains, M. S., G. R. Robinson, J. E. Diffendorfer, R. D. Holt, and M. L. Johnson. 1992. The effects of habitat fragmentation on small mammal populations. Pages 875–885 in D. R. McCullough and R. H. Barrett, eds. *Wildlife 2000: populations*. Elsevier Scientific Publ. Co., New York.
- Gardner, S. M., M. R. Cabido, G. R. Valladares, and S. Diaz. 1995. The influence of habitat structure on arthropod diversity in Argentine semi-arid Chaco forest. *J. Veg. Sci.* 6(3):349–356.
- Gaston, K. J. 1994. *Rarity. Population and community biology series No. 13*. Chapman and Hall, New York.
- Gaston, K. J. and W. E. Kunin. 1997. Rare–common differences: an overview. Pages 12–29 in W. E. Kunin and K. J. Gaston, eds. *The biology of rarity: causes and consequences of rare–common differences*. Chapman and Hall, New York.
- Gates, D. M. and L. W. Gysel. 1978. Avian nest dispersion and fledgling success in field-forest ecotones. *Ecology* 59:871-883.
- Gauch, H. G., Jr. 1982. *Multivariate analysis in community ecology*. Cambridge Univ. Press, Cambridge, United Kingdom.
- Gause, G. F. 1934. *The struggle for existence*. Hafner Press, New York.
- Gentry, A. H. 1988. Changes in plant community diversity and floristic composition on environmental and geographical gradients. *Annals of the Missouri Botanical Garden* 75(1):1–34.

- Gese, E. M., R. L. Ruff, and R. L. Crabtree. 1996. Foraging ecology of coyotes (*Canis latrans*): the influence of extrinsic factors and a dominance hierarchy. *Can. J. Zool.* 74(5):760–783.
- Goerck, J. M. 1997. Patterns of rarity in the birds of the Atlantic forest of Brazil. *Conserv. Biol.* 11(1):112–118.
- Golden, D. M. and T. O. Crist. 1999. Experimental effects of habitat fragmentation on old-field canopy insects: community, guild and species responses. *Oecologia* 118:371–380.
- Goldman, C.R., and A.J. Horne. 1983. Limnology. McGraw-Hill Publishing Company, New York.
- Gomez, D. M. and R. G. Anthony. 1998. Small mammal abundance in riparian and upland areas of five seral stages in western Oregon. *Northwest Sci.* 72(4):293–302.
- Gordon, N. D., T. A. McMahon, and B. L. Finlayson. 1992. Stream hydrology: an introduction for ecologists. John Wiley, Chichester.
- Gotelli, N. J. 1996. Ant community structure: effects of predatory ant lions. *Ecology* 77(2):630–638.
- Graber, D. M. 1996. Status of terrestrial vertebrates. Pages 709–734 in Status of riparian habitat. Pages 1009–1030 in Sierra Nevada Ecosystem Project, Final Report to Congress, vol. II, Assessments and scientific basis for management options. Univ. of California Centers for Water and Wildland Resources Rept. No. 37, Davis, California.
- Gradstein, S. R. and T. Pocs. 1989. Bryophytes. Pages 311–325 in H. Lieth and M. J. A. Werger, eds. *Ecosystems of the World*, Vol 14b, Tropical rain forest ecosystems: biogeographical and ecological studies. Elsevier Scientific Publ. Co., New York.
- Graf, M. 1999. Plants of the Tahoe basin. Univ. California Press, Berkeley, California.
- Granholm, S. L. 1990. Brown-headed cowbird. Pages 652-653 in Zeiner, D. C., W. F. Laudenslayer, Jr., K. E. Mayer, and M. White, eds. California's wildlife, Vol. II: Birds. California Department of Fish and Game, Sacramento, CA.
- Gray, H. and A. Treloar. 1933. On the enumeration of insect populations by the method of net collection. *Ecology* 14:356–367.
- Gregory, S. V., F. J. Swanson, W. A. McKee, and K. W. Cummins. 1991. An ecosystem perspective of riparian zones. *Bioscience* 41:540–551.
- Grenfell, W. E. 1988. Montane riparian. Pages 84–85 in K. E. Mayer and W. F. Laudenslayer, eds. *A guide to wildlife habitats of California*. California Dept. Fish and Game, Sacramento, California.
- Grinnell, J. 1917. The niche-relationships of the California thrasher. *Auk* 34:794–806.
- Hair, J. F., Jr., R. E. Anderson, R. L. Tatham, and W. C. Black. 1992. Multivariate data analysis. 3rd ed. MacMillan Publ. Co., New York.

- Hale, M. E. Jr. And M. Cole. 1988. Lichens of California. Univ. California Press, Berkeley, California.
- Hall, E. R. 1995. Mammals of Nevada. 2nd ed. Univ. California Press, Berkeley, California.
- Harris, L. D. 1984. The fragmented forest: island biogeography theory and the preservation of biological diversity. Univ. Chicago Press, Chicago, Illinois.
- Harrison, S., S. J. Ross, and J. H. Lawton. 1992. Beta diversity on geographic gradients in Britain. *J. Anim. Ecol.* 61:151–158.
- Hayes, M.P. and M.R. Jennings. 1986. Decline of ranid frog species in western North America: are bullfrogs (*Rana catesbeiana*) responsible? *Journal of Herpetology* 20(4): 490-509.
- Heaney, L. R. and E. A. Rickart. 1990. Correlations of clades and clines: geographic, elevational and phylogenetic distributional patterns among Philippine mammals. Pages 321–332 in G. Peters and R. Hutterer, eds. *Vertebrates in the tropics*. Museum Alexander Koenig, Connecticut.
- Heath, D. 1995. An introduction to experimental design and statistics for biology. Univ. College London Press Ltd., London, England.
- Hecnar, S. J., and R. T. McCloskey. 1996. Amphibian species richness and distribution in relation to pond water chemistry in south-western Ontario, Canada. *Freshwater biology* 36:7-15.
- Hecnar, S. J., and R. T. McCloskey. 1997. The effects of predatory fish on amphibian species richness and distribution. *Biological conservation* 79(2-3):123-131.
- Hejl, S. J., J. Verner, and R. P. Balda. 1988. Weather and bird populations in true fir forests of the Sierra Nevada, California. *Condor* 90:561–574.
- Heyer, W. R., M. A. Connelly, R. W. McDiarmid, L. C. Hayek, and M. S. Foster, eds. 1994. *Measuring and monitoring biological diversity: standard methods for amphibians*. Smithsonian Inst. Press, Washington, D.C.
- Hickman, J. C. ed. 1993. The Jepson manual: higher plants of California. Univ. California Press, Berkeley, California.
- Hill, B.H. 1997. Aquatic plant communities for impact monitoring and assessment. Pages 277-305 in Wang, W., J. W. Gorsuch, and J. S. Hughes, eds. *Plants for environmental studies*. CRC Lewis Publishers, Boca Raton, Florida.
- Holdridge, L. R. 1947. Determination of world plant formations from simple climatic data. *Science* 105:367–368.
- Holland, V. L. and D. J. Keil. 1995. California vegetation. Kendall/Hunt Publ. Co., Dubuque, Iowa.
- Holst, E.M. and S. Ferguson. 2000. Appendix E: vascular plants of the Lake Tahoe basin. Pages E-1 to E-64 in Murphy, D. D. and C. Knopp, eds. *Lake Tahoe watershed assessment, volume II: appendixes*. Gen. Tech. Rep. PSW-GTR-176, Pacific Southwest

- Research Station, USDA Forest Service, Berkeley, California.
- Holway, D. A. 1998. Effect of Argentine ant invasions on ground-dwelling arthropods in northern California riparian woodlands. *Oecologia* 116:252–258.
- Horn, H. S. and R. H. MacArthur. 1972. Competition among fugitive species in a harlequin environment. *Ecology* 53:749–52.
- Horwitz, R. J. 1978. Temporal variability patterns and the distributional patterns of stream fishes. *Ecol. Monogr.* 48:307–321.
- Hudson, H. J. 1986. Fungal biology. Edward Arnold Press, Baltimore, Maryland.
- Huston, M. 1979. A general hypothesis of species diversity. *Amer. Nat.* 113:81–101.
- Huston, M. 1994. Biological diversity: the coexistence of species on changing landscapes. Cambridge Univ. Press, Cambridge, United Kingdom.
- Hutchinson, G. E. 1957. Concluding remarks. *Cold Spring Harbor Symp. Quant. Biol.* 22:415–427.
- IUCN. 1984. Categories, objectives and criteria for protected areas. Pages 47–53 in J. A. McNeely and K. R. Miller, eds. National Parks, Conservation and Development. Smithsonian Press, Washington, D.C.
- IUCN. 1988. 1988 IUCN Red List of threatened animals. IUCN, Gland, Switzerland.
- Jackson, L. E. 1985. Floristic analysis of the distribution of ephemeral plants in treeline areas of the western USA. *Arctic and Alpine Research* 17(3):251–260.
- Jackson, S.T., and D. F. Charles. 1988. Aquatic macrophytes in Adirondack (New York) lakes: patterns of species composition in relation to environment. *Canadian Journal of Botany* 66:1449–1460.
- Jacobson, D. O., R. O. Schultz, and A. Ecalada. 1997. Structure and diversity of stream invertebrate assemblages: the influence of temperature with altitude and latitude. *Freshwater Bio.* 38(2):247–261.
- James, F. C. and H. H. Shugart. 1970. A quantitative method of habitat description. *Audubon Field Notes* 24:727–736.
- James, F. C. and S. Rathbun. 1981. Rarefaction, relative abundance, and diversity of avian communities. *Auk* 98:785–800.
- Janzen, D. H. 1983. No park is an island: increase in interference from outside as park size decreases. *Oikos* 41:402–410.
- Janzen, D. H. 1986. The eternal external threat. Pages 286–303 in M. E. Soulé, ed. Conservation biology: the science of scarcity and diversity. Sinauer Assoc., Sunderland, Massachusetts.

- Janzen, D. H., D. M. Ataroff, M. Farinas, S. Reyes, N. Rincon, A Soler, P Soriano, and M. Vera. 1976. Changes in the arthropod community along an elevational transect in the Venezuelan Andes. *Biotropica* 8:193–203.
- Jennings, M.R. 1996. Status of amphibians. pp. 921-944 in Sierra Nevada Ecosystem Project: final report to Congress, volume II, assessments and scientific basis for management options. Davis: University of California, Centers for Water and Wildland Resources.
- Jennings, M.R. and M.P. Hayes. 1994. Amphibian and reptile species of special concern in California. California Department of Fish and Game, Rancho Cordova, California.
- Jensen, D. B., M. S. Torn, and J. Harte. 1993. In our own hands: a strategy for conserving California's biological diversity. Univ. California Press, Berkeley, California.
- Johns, B. W. 1993. The influence of grove size on bird species richness in aspen parklands. *Wilson Bull.* 105(2):256–264.
- Johnson, K., P. Mehlhop, C. Black, and K. Score. 1999. Reproductive failure of endangered southwestern willow flycatchers on the Rio Grande, New Mexico. *Southwestern Naturalist* 44(2):226–231.
- Jones and Stokes Assoc. 1987. Sliding towards extinction: the state of California's natural heritage. Unpubl. rept. California Nature Conservancy, San Francisco, California.
- Jones, J. R. and N. V. DeByle. 1985. Fire. Pages 19–24 in N. V. DeByle and R. P. Winokur, eds. Aspen: ecology and management in the western United States. USDA For. Serv. Gen. Tech. Rep. RM-GTR-119. Rocky Mountain Station, Fort Collins, Colorado.
- Jongman, R. H. G., C. J. F. Ter Braak, and O. F. R. Van Tongeren. 1995. Data analysis in community and landscape ecology. Cambridge Univ. Press, Cambridge, United Kingdom.
- Joyner, D.E. 1980. Influence of invertebrates on pond selection by ducks in Ontario. *Journal of Wildlife Management* 44(3): 700-705.
- Kattan, G. H. 1992. Rarity and vulnerability: the birds of the Cordillera Central of Colombia. *Conserv. Biol.* 6(1):64–70.
- Kauffman, J. B. 1988. The status of riparian habitats in Pacific Northwest forests. Pages 45–55 in K. J. Raedeke, ed. Streamside management: riparian wildlife and forestry interactions. Univ. of Washington, Institute of Forest Resources, Seattle, Washington.
- Keane, J. J. and M. L. Morrison. 1994. Wildlife inventory and habitat relationships in the Lake Tahoe region, 1991–1993. Unpubl. final rept. California Dept. Parks and Recreation, Tahoe City, California.
- Keeley, J. E. and C. C. Swift. 1995. Biodiversity and ecosystem functioning in Mediterranean-climate California. Pages 121–183 in G. W. Davis and D. M. Richardson, eds. Mediterranean-type ecosystems: the function of biodiversity. Springer, New York.

- Kelt, D. A., P. L. Meserve, and B. K. Lang. 1994. Quantitative habitat associations of small mammals in a temperate rain forest in southern Chile: empirical patterns and the importance of scale. *J. Mammology* 75:890–904.
- Kempton, R. A. 1979. The structure of species abundance and measurement of diversity. *Biometrics* 35:307–321.
- Kezer, J. and D.S. Farner. 1955. Life history patterns of the salamander *Ambystoma macrodactylum* in the high Cascade Mountains of southern Oregon. *Copeia* 1955: 127-131.
- Kharbouli, M. S. and T. P. Mack. 1993. Comparison of three methods for sampling arthropod pests and their natural enemies in peanut fields. *J. Econ. Entomology* 86(6):1802–1810.
- Kimsey, L. S. 1996. Status of terrestrial insects. Pages 735–742 in Sierra Nevada Ecosystem Project, Final Report to Congress, vol. II, Assessments and scientific basis for management options. Univ. of California Centers for Water and Wildland Resources Rept. No. 37, Davis, California.
- Knapp, R. A., and K. R. Matthews. 1998. Eradication of nonnative fish by gill netting from a small mountain lake in California. *Restoration ecology* 6(2):207-213.
- Knapp, R. A., and K. R. Matthews. 2000. Non-native fish introductions and the decline of the mountain yellow-legged frog from protected areas. *Conservation biology* 14(2):428-438.
- Knight, R. L., and D. N. Cole. 1995. Wildlife responses to recreationists. Pages 51-69 in Knight, R. L., and K. J. Gutzwiller, eds. *Wildlife and recreationists: coexistence through management and research*.
- Knopf, F. L. 1985. Significance of riparian vegetation to breeding birds across an altitudinal cline. Pages 105–111 in Riparian ecosystems and their management: reconciling conflicting uses. USDA For. Serv. Gen. Tech. Rept. RM-GTR-120. Rocky Mountain Station, Fort Collins, Colorado.
- Kondolf, G. M., R. Kattelmann, M. Embury, and D. C. Erman. 1996. Status of riparian habitat. Pages 1009–1030 in Sierra Nevada Ecosystem Project, Final Report to Congress, vol. II, Assessments and scientific basis for management options. Univ. of California Centers for Water and Wildland Resources Rept. No. 37, Davis, California.
- Krasnov, B. R. and G. I. Shenbrot. 1998. Structure of communities of ground-dwelling animals at the junction of two phytogeographic zones. *J. Biogeography* 25(6):1115–1131.
- Krebs, C. J. 1989. Ecological methodology. Harper Collins Publ., New York.
- Kremen, C. 1992. Assessing the indicator properties of species assemblages for natural areas monitoring. *Ecol. Applic.* 2:203–217.
- Kremen, C. 1994. Biological inventory using target taxa: a case study of the butterflies of Madagascar. *Ecol. Applic.* 4(3):407–422.

- Kuchler, A. W. 1964. Potential natural vegetation of the coterminous United States. Amer. Geogr. Soc. Spec. Pub. 36. 31 pp.
- Kunii, H. 1991. Aquatic macrophyte composition in relation to environmental factors of irrigation ponds around Lake Shinji, Shimane, Japan. *Vegetatio* 97:137-148.
- Landauer, L. B. 1996. The mountain sea: a history of Lake Tahoe. Flying Cloud Press, South Lake Tahoe, California.
- Lande, R. 1996. Statistics and partitioning of species diversity and similarity among multiple communities. *Oikos* 76:5-13.
- Lapin, M. and B. V. Barnes. 1995. Using the landscape ecosystem approach to assess species and ecosystem diversity. *Conserv. Biol.* 9(5):1148-1158.
- Lawton, J. H. and D. R. Strong, Jr. 1981. Community patterns and competition in folivorous insects. *Amer. Nat.* 118(3):317-338.
- Lehr, S. Personal communication. California Department of Fish and Game, Sacramento, CA.
- Lemieux, J. P. and B. S. Lindgren. 1999. A pitfall trap for large-scale trapping of Carabidae: comparison against conventional design using two different preservatives. *Pedobiologia* 43(3):245-253.
- Lemmon, P. E. 1956. A spherical densiometer for estimating forest overstory density. *Forest Sci.* 2(1):314-320.
- Levin, S. A. and R. T. Paine. 1974. Disturbance, patch formation, and community structure, *Proc. Natl. Acad. Sci. (USA)* 71:2744-2747.
- Lewis, M. A., and W. Wang. 1997. Water quality and aquatic plants. Pages 141-175 in Wang, W., J. W. Gorsuch, and J. S. Hughes, eds. *Plants for environmental studies*. CRC Lewis Publishers, Boca Raton, Florida.
- Lewontin, R. C. 1972. The apportionment of human diversity. *Evol. Biol.* 6:381-398.
- Leyse, K. Personal communication. Section of Evolution and Ecology, University of California, Davis, CA.
- Li, H. W., G. A. Lamberti, T. N. Pearson, C. K. Tait, J. L. Li, and J. C. Buckhouse. 1994. Cumulative effects of riparian disturbances along high desert trout streams of the John Day Basin, Oregon. *Trans. Amer. Fisheries Soc.* 123(4):627-640.
- Lincoff, G. H and C. Nehring. 1981. National Audubon Society field guide to North American mushrooms. Chanticleer Press, New York.
- Lindström, S. In press. Chapter 2: A contextual overview of human land use and environmental conditions. In D. D. Murphy and C. M. Knopp, eds. *Lake Tahoe watershed assessment*. USDA For. Serv. Gen. Tech. Rept. PSW-GTR. Pacific Southwest Station, Berkeley, California.

- Linusson, A. C., G. A. Berlin, and E. G. A. Olsson. 1998. Reduced community diversity in semi-natural meadows in southern Sweden, 1965–1990. *Plant Ecology* 136:77–94.
- Lomolino, M. V., J. H. Brown, and R. Davis. 1989. Island biogeography of montane forest mammals in the American southwest. *Ecology* 70(1):180–194.
- Lonesdale, W. M. 1988. Predicting the amount of litterfall in forests of the world. *Annals of Botany* 61:319–324.
- Lowther, P. E. 1993. Brown-headed Cowbird. The American Ornithologist's Union's The birds of North America, No. 47.
- Lynch, D. 1955. Ecology of the aspen groveland in Glacier County, Montana. *Ecol. Monogr.* 25:321–344.
- Lynch, J. F. 1995. Effects of point count duration, time-of-day, and aural stimuli on detectability of migratory and resident bird species in Quintana Roo, Mexico. Pages 1–7 in C. J. Ralph, J. R. Sauer, and S. Droege, eds. Monitoring bird populations by point counts. USDA For. Serv. Gen. Tech. PSW-GTR-149. Pacific Southwest Station, Berkeley, California.
- Lynn, S., M. L. Morrison, A. J. Kuenzi, J. C.C. Neele, B. N. Sacks, R. Hamlin, and L. S. Hall. 1998. Bird use of riparian vegetation along the Truckee River, California and Nevada. *Great Basin Nat.* 58(4):328–343.
- MacArthur, R. H. 1957. On the relative abundance of bird species. *Proc. National Acad. Sci* 43:293–295.
- MacArthur, R. H. 1969. Patterns of communities in the tropics. *Biol. J. Linn. Soc.* 1:19–30.
- MacArthur, R. H. and E. O. Wilson. 1967. The theory of island biogeography. Princeton Univ. Press, Princeton, New Jersey.
- MacArthur, R. H. and J. MacArthur. 1961. On bird species diversity. *Ecology* 42:594–598.
- Magurran, A. E. 1988. Ecological diversity and its measure. Princeton Univ. Press, Princeton, New Jersey.
- Manley, P. N. and D. C. Davidson. 1995. Risk assessment for neotropical migratory birds in California. Unpubl. rept. USDA Forest Service, Pacific Southwest Region, Vallejo, California.
- Manley, P. N., J. A. Fites-Kaufmann, M. E. Barbour, M. D. Schlesinger, and D. M. Rizzo. 2000. Biological integrity. In Murphy, D. D. and C. Knopp, eds. Lake Tahoe Watershed Assessment. Gen. Tech. Rep. PSW-GTR-175, Pacific Southwest Research Station, USDA Forest Service, Berkeley, California.
- Martin, D.L. 1992. Unpublished manuscript. Sierra Nevada anuran survey: an investigation of amphibian population abundance in the National Forests of the Sierra Nevada of California.

- Maser, C., R. G. Anderson, K. Cromack, Jr., J. T. Williams, and R. E. Martin. 1979. Dead and down woody material. Pages 78–95 in J. W. Thomas, ed. Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington. USDA Agric. Handbook No. 553. U.S. Govt. Printing Office, Washington, D. C.
- Maser, C., B. R. Mate, J. F. Franklin, and C. T. Dyrness. 1981. Natural history of Oregon coast mammals. USDA For. Serv. Gen. Tech. Rept. PNW-GTR-133. Pacific Northwest Station, Portland, Oregon.
- Matthiessen, J. N. and S. E. Learmonth. 1998. Seasonally contrasting activity of African black beetle, *Heteronychus arator* (Coleoptera: Scarabaeidae): implications for populations, pest status, and management. Bull. Entom. Res. 88(4):443–450.
- May, R. M. 1975. Patterns of species abundance and diversity. Pages 81–120 in M. L. Cody and J. M Diamond, eds. Ecology and evolution in communities. Harvard Univ. Press, Cambridge, Massachusetts.
- Mayer, K.E. and W.F. Laudenslayer, Jr., eds. 1988. A guide to wildlife habitats of California. California Department of Fish and Game, Sacramento, California.
- McComb, W. C., C. L. Chambers, and M. Newton. 1993. Small mammal and amphibian communities and habitat associations in red alder stands, central Oregon Coast Range. Northwest Sci. 67(3):181–188.
- McKelvey, K. S. and J. D. Johnston. 1992. Historical perspectives on forests of the Sierra Nevada and the Transverse ranges of southern California: forest conditions at the turn of the century. Pages 225–246 in J. Verner, K. S. McKelvey, B. R. Noon, R. J. Gutierrez, G. I. Gould, Jr., and T. W. Beck, coords. The California Spotted Owl: a technical assessment of its current status. USDA For. Serv. Gen. Tech. Rept. PSW-GTR-133. Pacific Southwest Station, Berkeley, California.
- McKelvey, K. S., C. S. Skinner, C. Chang, D. C. Erman, S. J. Husari, D. J. Parsons, J. W. van Wagendonk, and C. P. Weatherspoon. 1996. An overview of fire in the Sierra Nevada. Pages 1033–1040 in Sierra Nevada Ecosystem Project, Final Report to Congress, vol. II, Assessments and scientific basis for management options. Univ. of California Centers for Water and Wildland Resources Rept. No. 37, Davis, California.
- McKnight , K. H. and V. B. McKnight. 1987. A field guide to mushrooms of North America. Peterson Field Guide series. Houghton Mifflin Co., New York.
- Meffe, G. K. and C. R. Carroll. 1997. Conservation reserves in heterogeneous landscapes. Pages 305–344 in G. K. Meffe and C. R. Carroll, eds. Principles of conservation biology. 2nd ed. Sinauer Assoc., Sunderland, Massachusetts.
- Meyer, J. L. 1997. Conserving ecosystem function. Pages 136–145 in S. T. A. Pickett, R. S. Ostfeld, M. Shachak, and G. E. Lickens, eds. The ecological basis of conservation: heterogeneity, ecosystems, and biodiversity. Chapman and Hall, New York.
- Meyers, N. 1979. The sinking ark. Pergamon Press, Oxford, United Kingdom.

- Mikola, J., M. Miettinen, E. Lehikoinen, and K. Lehtila. 1994. The effects of disturbance caused by boating on survival and behavior of velvet scoter (*Melanitta fusca*) ducklings. *Biological Conservation* 67: 119-124.
- Minchin, P. R. 1989. Montane vegetation of the Mt. Field massif, Tasmania: a test of some hypotheses about properties of community patterns. *Vegetatio* 83:97-110.
- Morey, S. 1988a. Pacific treefrog. Pages 78-79 in Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer, eds. California's wildlife, volume I: amphibians and reptiles. California Department of Fish and Game, Sacramento, California.
- Morey, S. 1988b. Western toad. Pages 64-65 in Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer, eds. California's wildlife, volume I: amphibians and reptiles. California Department of Fish and Game, Sacramento, California.
- Morey, S. 1988c. Mountain yellow-legged frog. Pages 88-89 in Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer, eds. California's wildlife, volume I: amphibians and reptiles. California Department of Fish and Game, Sacramento, California.
- Morey, S. 1988d. Bullfrog. Pages 92-93 in Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer, eds. California's wildlife, volume I: amphibians and reptiles. California Department of Fish and Game, Sacramento, California.
- Morey, S. 1988e. Western terrestrial garter snake. Pages 214-215 in Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer, eds. California's wildlife, volume I: amphibians and reptiles. California Department of Fish and Game, Sacramento, California.
- Morey, S. 1988f. Western aquatic garter snake. Pages 216-217 in Zeiner, D.C., W.F. Laudenslayer, Jr., and K.E. Mayer, eds. California's wildlife, volume I: amphibians and reptiles. California Department of Fish and Game, Sacramento, California.
- Morrison, M. L., B. G. Marcot, and R. W. Mannan. 1992. Wildlife-habitat relationships: concepts and applications. Univ. Wisconsin Press, Madison, Wisconsin.
- Morrison, M. L., T. Tennant, and T. A. Scott. 1994. Laying the foundation for a comprehensive program of restoration for wildlife habitat in a riparian floodplain. *Environ. Manage.* 18(6):939-955.
- Moyle, P.B. 1973. Effects of introduced bullfrogs, *Rana catesbeiana*, on the native frogs on the San Joaquin Valley, California. *Copeia* 1973: 18-22.
- Moyle, P.B. 1976. Inland fishes of California. Berkeley: University of California Press.
- Mueggler, W. F. 1985. Vegetation associations. Pages 45-55 in N. V. DeByle and R. P. Winokur, eds. Aspen: ecology and management in the western United States. USDA For. Serv. Gen. Tech. Rept. RM-GTR-119. Rocky Mountain Station, Fort Collins, Colorado.
- Mueggler, W. F. 1988. Aspen community types of the intermountain region. USDA For. Serv. Gen Tech. Rept. INT-GTR-250. Intermountain Research Station, Ogden, Utah.

- Mueggler, W. F. and R. B. Campbell, Jr. 1982. Aspen community types on the Caribou and Targhee Natioanl Forests in southeastern Idaho. USDA For. Serv. Res. Paper INT-294. Intermountain Station, Ogden, Utah.
- Mueller-Dombois, D. and H. Ellenburg. 1974. Aims and methods of vegetation ecology. John Wiley, New York.
- Murkin, H.R. and J.A. Kadlec. 1986. Relationships between waterfowl and macroinvertebrate densities in a northern prairie marsh. *Journal of Wildlife Management* 50(2): 212-217.
- Murphy, D. D. and B. A. Wilcox. 1986. Butterfly diversity in natural habitat fragments: a test of the validity of vertebrate-based management. Pages 287–292 *in* J. Verner, M. L. Morrison, and C. J. Ralph, eds. *Wildlife 2000: modeling habitat relationships of terrestrial vertebrates*. Univ. of Wisconsin Press, Madison, Wisconsin.
- Murphy, D. D. and C. M. Knopp, eds. 2000. Lake Tahoe watershed assessment. USDA For. Serv. Gen. Tech. Rept. PSW-GTR-175. Pacific Southwest Station, Berkeley, California.
- Naiman, R. J., H. Decamps, and M. Pollock. 1993. The role of riparian corridors in maintaining regional biodiversity. *Ecol. Applic.* 3:209–212.
- Nelson, S. M. and M. E. Epstein. 1998. Butterflies (Lepidoptera: Papilionoidea and Hesperioidae) of Roxborough State Park, Colorado, USA: baseline inventory, community attributes, and monitoring plan. *Environ. Manage.* 22(2):287–295.
- Neter, J., W. Wasserman, and M. H. Kutner. 1990. Applied linear statistical models. 3rd ed. Irwin, Boston, Massachusetts.
- Nichols, S. A. 1992. Depth, substrate, and turbidity relationships of some Wisconsin Lake plants. *Transactions of the Wisconsin Academy of Sciences Arts and Letters* 80(0):97-118.
- Nichols, W. F., K. T. Killingbeck, and P. V. August. 1998. The influence of geomorphological heterogeneity on biodiversity. II. A landscape perspective. *Conserv. Biol.* 12:371–379.
- Nikilov, N. T. and K. F. Zeller. 1992. A solar radiation algorithm for ecosystem dynamic models. *Ecol. Modelling* 61:149–168.
- Nilsson, C., G. Grelsson, M. Johansson, and U. Sperens. 1988. Can rarity and diversity be predicted in vegetation along river banks? *Biol. Conserv.* 44:201–212.
- Noss, R. F. 1987. From plant communities to landscapes in conservation inventories: a look at The Nature Conservancy (USA). *Biol. Conserv.* 41:11–37.
- Noss, R. F. 1990. Indicators for monitoring biodiversity: a hierarchical approach. *Conserv. Biol.* 4(4):355–364.
- Noss, R. F. 1991. Landscape connectivity: different functions at different scales. Pages 27–39 *in* W. E. Hudson, ed. *Landscape linkages and biodiversity*. Island Press, Covelo, California.

- Noss, R. F. and A. Y. Cooperrider. 1994. Saving nature's legacy: protecting and restoring biodiversity. Island Press, Covelo, California.
- Noss, R. F. and L. D. Harris. 1986. Nodes, networks, and MUMs: preserving diversity at all scales. *Environ. Manage.* 10:299–309.
- Nuttle, T. 1997. Densiometer bias? Are we measuring the forest or the trees? *Wildlife Society Bull.* 25(3):610–611.
- O'Neill, R. V. and A. W. King. 1998. Homage to St. Michael. Pages 3–15 in D. L. Peterson and V. T. Parker, eds. Ecological scale: theory and applications. Columbia Univ. Press, New York.
- Odum, E.P. 1971. Fundamentals of ecology. Philadelphia: W.B. Saunders Company.
- Ogden, J. and J. A. Powell. 1979. A quantitative description of the forest vegetation on an altitudinal gradient in the Mount Field National Park, Tasmania, and a discussion of its history and dynamics. *Australian J. Ecology* 4(3):293–326.
- Ohmann, J. L. and T. A. Spies. 1998. Regional gradient analysis and spatial pattern of woody plant communities of Oregon forests. *Ecol. Monogr.* 68(2):151–182.
- Oliver, I. and A. J. Beattie. 1996a. Designing a cost-effective invertebrate survey: a test of methods for rapid assessment of biodiversity. *Ecol. Applic.* 6(2):594–607.
- Oliver, I. and A. J. Beattie. 1996b. Invertebrate morphospecies as surrogates for species: a case study. *Conserv. Biol.* 10(1):99–109.
- Omernick, J. M. 1995. Ecoregions: a framework for managing ecosystems. *George Wright Forum* 12(1):35–51.
- Oosting, H. J. and W. D. Billings. 1943. The red fir forest of the Sierra Nevada: *Abietum magnifica*. *Ecol. Monogr.* 13:259–274.
- Ormerod, S. J., S. D. Rundle, S. M. Wilkinson, G. P. Daly, K. M. Dale, and I. Juttner. 1994. Altitudinal trends in the diatoms, bryophytes, macroinvertebrates and fish of a Nepalese river system. *Freshwater Bio.* 32(2):309–322.
- Orr, R. T. 1949. Mammals of Lake Tahoe. California Academy of Sciences, San Francisco, California.
- Orr, R. T. and J. Moffitt. 1971. Birds of the Lake Tahoe region. California Academy of Sciences, San Francisco, California.
- Owen, J. G. 1990. An analysis of the spatial structure of mammalian distribution patterns in Texas. *Ecology* 71(5):1823–1832.
- Owen, M. and J.M. Black. 1990. Waterfowl ecology. London: Blackie and Son Limited.
- Panik, H.R. and S. Barrett. 1994. Distribution of amphibians and reptiles along the Truckee River system. *Northwest Science* 68(3): 197-204.

- Panzer, R. O. and M. W. Schwartz. 1998. Effectiveness of a vegetation-based approach to insect conservation. *Conserv. Biol.* 12(3):693–702.
- Parker, I. and W. J. Matyas. 1981. CALVEG: a classification of Californian vegetation. USDA Forest Service, Remote Sensing Lab, Pacific Southwest Region, Sacramento, California.
- Patterson, B. D., D. F. Stotz, S. Solari, J. W. Fitzpatrick, and V. Pacheco. 1998. Contrasting patterns of elevational zonation for birds and mammals in the Andes of southeastern Peru. *J. Biogeography* 25:593–607.
- Pavuk, D. M., F. F. Purrington, C. E. Williams, and B. R. Stinner. 1997. Ground beetle (Coleoptera: Carabidae) activity, density and community composition in vegetationally diverse corn agroecosystems. *Amer. Midl. Nat.* 138:14–28.
- Pearman, P. B. 1997. Correlates of amphibian diversity in an altered landscape of Amazonian Ecuador. *Conservation biology* 11(5):1211-1225.
- Pedigo, L. P. 1996. Entomology and pest management. Prentice Hall, Upper Saddle River, New Jersey.
- Pedlar, J. H., L. Fahrig, and H. G. Merriam. 1997. Raccoon habitat use at two spatial scales. *J. Wildl. Manage.* 61:102–112.
- Perring, F. H. and L. Farrell. 1983. British Red Data books: vascular plants (1). 2nd ed. RSNC, Lincoln.
- Petterson, R. B., J. P. Ball, K. E. Renhorn, P. A. Esseen, and K. Sjoberg. 1995. Invertebrate communities in boreal forest canopies as influenced by forestry and lichen with implications for passerine birds. *Biol. Conserv.* 74(1):57–63.
- Petts, G. and P. Calow, eds. 1996. River restoration. Blackwell Science Ltd., Cambridge, Mass.
- Pfister, C., B.A. Harrington, and M. Lavine. 1992. The impact of human disturbance on shorebirds at a migration staging area. *Biological Conservation* 60: 115-126.
- Pharo, E. J., A. J. Beattie, and D. Binns. 1999. Vascular plant diversity as a surrogate for bryophyte and lichen diversity. *Conserv. Biol.* 13(2):282–292.
- Phillips, K. 1990. Where have all the frogs and toads gone? *BioScience* 40(6): 422-424.
- Pianka, E. R. 1967. On lizard species diversity: North American flatland deserts. *Ecology* 48:333–351.
- Pickett, S. T. A. and J. N. Thompson. 1978. Patch dynamics and the design of nature reserves. *Biol. Conserv.* 13:27–37.
- Pickett, S. T. A. and P. S. White, eds. 1985. The ecology of natural disturbance and patch dynamics. Academic Press, New York.
- Pielou, E. C. 1975. Ecological diversity. John Wiley and Sons, New York.

- Planty-Tabacchi, A., E. Tabacchi, R. J. Naiman, C. Deferrari, and H. DeCamps. 1996. Invasibility of species-rich communities in riparian zones. *Conserv. Biol.* 10(2):598–607.
- Pollock, M. M., R. J. Naiman, H. E. Erickson, C. A. Johnston, J. Pastor, and G. Pinay. 1995. Beaver as engineers: influences on biotic and abiotic characteristics of drainage basins. Pages 117-126 in Jones, C. G. and J. H. Lawton, eds. *Linking species and ecosystems*. Chapman & Hall, New York.
- Pollock, M. M., R. J. Naiman, and T. A. Hanley. 1998. Plant species richness in riparian wetlands—a test of biodiversity theory. *Ecology* 79(1):94–105.
- Potter, D. A. 1994. Guide to forested communities of the upper montane in the central and southern Sierra Nevada. USDA For. Serv. R5-ECOL-TP-003. Pacific Southwest Region, Vallejo, California.
- Powell, J. A. and C. L. Hogue. 1979. *California insects*. Univ. California Press, Berkeley, California.
- Power, M. E., D. Tilman, J. A. Estes, B. A. Menge, W. J. Bond, S. Mills, G. Daily, J. C. Castilla, J. Lubchenco, and R. T. Paine. 1996. Challenges in the quest for keystones. *Bioscience* 46(8):609–620.
- Prescott, G.W. 1969. How to know the aquatic plants. Wm. C. Brown Company Publishers, Dubuque, Iowa.
- Preston, F. W. 1948. The commonness and rarity of species. *Ecology* 29:254–283.
- Preston, F. W. 1962. The canonical distribution of commonness and rarity. *Ecology* 43:185–215.
- Price, P. W. 1984. *Insect ecology*. 2nd ed. John Wiley and Sons, New York.
- Primack, R. B. 1993. *Essentials of conservation biology*. Sinauer Assoc. Inc., Sunderland, Massachusetts.
- Probst, J. R. and D. S. Rakstad. 1987. Small mammal communities in three aspen stand-age classes. *Canadian Field-Naturalist*. 101(3):362–368.
- Pullin, A. S., ed. 1994. *Ecology and conservation of butterflies*. Chapman and Hall, New York.
- Quinn, T. 1997. Coyote (*Canis latrans*) food habits in three urban habitat types of western Washington. *Northwest Science* 71:1–5.
- Rahbek, C. 1997. The relationship among area, elevation, and regional species richness in neotropical birds. *Amer. Nat.* 149(5):875–902.
- Raitt, R. J. 1980. Introductory remarks: observer variability. Page 326 in C. J. Ralph and J. M. Scott, eds. *Estimating number of terrestrial birds*. Studies in Avian Biology No. 6. Cooper Ornith. Soc. Publ.

- Ralph, C. J., G. R. Geupel, P. Pyle, T. E. Martin, and D. F. DeSante. 1993. Handbook of field methods for monitoring landbirds. USDA For. Serv. Gen. Tech. Rept. PSW-GTR-144. Pacific Southwest Station, Berkeley, California.
- Ralph, C. J., J. R. Sauer, and S. Droege, eds. 1995. Monitoring bird populations by point counts. USDA For. Serv. Gen. Tech. PSW-GTR-149. Pacific Southwest Station, Berkeley, California.
- Rao, P., S. K. Barik, H. N. Pandey, and R. S. Tripathi. 1990. Community composition and tree population structure in a sub-tropical broad-leaved forest along a distributional gradient. *Vegetatio* 88:151–162.
- Ratliff, R. D. 1985. Meadows in the Sierra Nevada of California: state of knowledge. USDA For. Serv. Gen. Tech. Rept. PSW-GTR-84. Pacific Southwest Station, Berkeley, California.
- Ratliff, R. D. 1988. Wet meadows. Pages 122-123 in Mayer, K.E. and W.F. Laudenslayer, Jr., eds. A guide to wildlife habitats of California. California Department of Fish and Game, Sacramento, California.
- Raven, P. H. and D. I. Axelrod. 1978. Origin and relationships of the California flora. Univ. of California [Berkeley] Publications in Botany 72:1–134.
- Reade, B. E., ed. 1985. Management of wildlife and fish habitats in forests of western Oregon and Washington. USDA For. Serv. Publ. R6-F&WL 192-1985. Pacific Northwest Region, Portland, Oregon.
- Reed, J. M. 1995. Relative vulnerability to extirpation of montane breeding birds in the Great Basin. *Great Basin Nat.* 55(4):342–351.
- Reiner, J. 1998. Personal communication. U.S. Forest Service, Lake Tahoe Basin Management Unit, South Lake Tahoe, California.
- Reveal, J. L. 1981. The concepts of rarity and population threats in plant communities. Pages 41–46 in L. E. Morse and M. S. Henefin, eds. Rare plant conservation. The New York Botanical Garden, Bronx, New York.
- Rey Benayas, J. M., M. G. S. Colomer, and C. Levassor. 1999. Effects of area, environmental status and environmental variation on species richness per unit area in Mediterranean wetlands. *J. Veg. Sci.* 10(2):275–280.
- Ricketts, T. H., E. Dinerstein, D. M. Olsen, C. J. Louks, W. Eichbaum, D. DellaSala, K. Kavanagh, P. Hedao, P. T. Hurley, K. M. Carney, R. Abell, and S. Walters. 1999. Terrestrial ecoregions of North America: a conservation assessment. Island Press, Covelo, California.
- Ricklefs, R. E. 1993. The economy of nature, third edition. W. H. Freeman, New York.
- Ricklefs, R. E. and D. B. Miles. 1993. Ecological and evolutionary inferences from morphology: an ecological perspective. Pages 1–30 in P. C. Wainright and S. Reilly, eds. Integrative organismal biology. Univ. Chicago Press, Chicago, Illinois.

- Riemer, D. N. 1984. Introduction to freshwater vegetation. Van Nostrand Reinhold Company, New York.
- Risser, R. J. and M. E. Fry. 1988. Montane chaparral. Pages 102–103 in K. E. Mayer and W. F. Laudenslayer, eds. A guide to wildlife habitats of California. California Dept. of Forestry and Fire Protection, Sacramento, California.
- Rith, N. J. C. 1998. The influence of forest vegetation variables on the distribution and diversity of dragonflies in a northern Minnesota forest landscape: a preliminary study. *Odonatologica* 27(3):335–351.
- Robbins, R. K. and P. A. Opler. 1997. Butterfly diversity and a preliminary comparison with bird and mammal diversity. Pages 69–82 in M. L. Reaka-Kula, D. E. Wilson, and E. O. Wilson, eds. Biodiversity II: understanding and protecting our biological resources. Joseph Henry Press, Washington, D.C.
- Robinson, G. R., R. D. Holt, M. S. Gains, S. T. Hamburg, M. J. Johnson, S. S. Fitch, and E. A. Martinko. 1992. Diverse and contrasting effects of habitat fragmentation. *Science* 257:524–526.
- Robinson, S. K., J. A. Grzybowski, S. I. Rothstein, M. C. Brittingham, L. J. Petit, and F. R. Thompson. 1993. Management implications of cowbird parasitism on neotropical migrant songbirds. Pages 93-102 in Finch, D. M., and P. W. Stangel, eds. Status and management of neotropical migratory birds. USDA Forest Service General Technical Report RM-229, Rocky Mountain Region, Fort Collins, CO.
- Rosenzweig, M. L. 1971. Paradox of enrichment: destabilization of exploitation ecosystems in ecological time. *Science* 171:385–387.
- Rosenzweig, M. L. 1995. Species diversity in space and time. Cambridge Univ. Press, Cambridge, United Kingdom.
- Rosenzweig, M. L. and Z. Abramsky. 1993. How are diversity and productivity related? Pages 52–65 in R. E. Ricklefs and D. Schluter, eds. Species diversity in ecological communities. Univ. Chicago Press, Chicago, Illinois.
- Rosgen, D. L. 1994. A classification of natural rivers. *Catena* 22:169–199.
- Ruediger, R. and J. Ward. 1996. Abundance and function of large woody debris in central Sierra Nevada streams. USDA For. Serv. Fish Habitat Relationships Tech. Bull. 20. Six Rivers National Forest, Eureka, California.
- Rundel, P. W. 1998. Landscape disturbances in Mediterranean-type ecosystems: an overview. Pages 3–22 in P. W. Rundel, G. Montenegro, and F. M. Jaksic, eds. Landscape disturbances in Mediterranean-type ecosystems. Ecological Studies, vol. 136. Springer, New York.
- Ryan, B. 1990. Lichen collection from study of air quality in Desolation Wilderness. Unpubl. rept. USDA Forest Service, Lake Tahoe Basin Management Unit, South Lake Tahoe, California.

- Ryder, R.A. 1986. Songbirds. Pages 291-312 in Cooperrider, A.Y., R.J. Boyd, and H.R. Stuart, eds. Inventory and monitoring of wildlife habitat. Denver: U.S. Department of Interior, Bureau of Land Management Service Center.
- Rykken, J. J., D. E. Capen, and S. P. Mahabir. 1997. Ground beetles as indicators of land type diversity in the Green Mountains of Vermont. *Conserv. Biol.* 11(2):522–530.
- Ryser, F. A., Jr. 1985. Birds of the Great Basin: a natural history. Univ. Nevada Press, Reno, Nevada.
- Safran, R.J., C.R. Isola, M.A. Colwell, and O.E. Williams. 1997. Benthic invertebrates at foraging locations of nine waterbird species in managed wetlands of the northern San Joaquin Valley, California. *Wetlands* 17(3): 407-415.
- Sanders, T. A. and W. D. Edge. 1998. Breeding bird community composition in relation to riparian vegetation structure in the western United States. *J. Wildl. Manage.* 62(2):461–473.
- Sawyer, J. O. and T. Keeler-Wolf. 1995. A manual of California vegetation. California Native Plant Society, Sacramento, California.
- Schaffer, J. P. 1998. The Tahoe Sierra. 4th ed. Wilderness Press, Berkeley, California.
- Schlesinger, M. D., and E. M. Holst, eds. 2000. Appendix C: accounts of focal aquatic ecosystems and ecologically significant areas. Pages C-1 to C-23 in Murphy, D. D. and C. Knopp, eds. Lake Tahoe watershed assessment, volume II: appendixes. Gen. Tech. Rep. PSW-GTR-176, Pacific Southwest Research Station, USDA Forest Service, Berkeley, California.
- Schlüter, D. and R. E. Ricklefs. 1993. Species diversity: an introduction to the problem. Pages 147–158 in R. E. Ricklefs and D. Schlüter, eds. Species diversity in ecological communities: historical and geographical perspectives. Univ. Chicago Press, Chicago, Illinois.
- Schweiger, E. W., J. E. Diffendorfer, R. Pierotti, and R. D. Holt. 1999. The relative importance of small-scale and landscape-level heterogeneity in structuring small mammal distributions. Pages 175–207 in G. W. Barrett and J. D. Peles, eds. Landscape ecology of small mammals. Springer, New York.
- Sealander, J. A. and D. James. 1958. Relative efficiency of different small mammal traps. *J. Mammology* 39:215–223.
- Shaffer, B. 1999. Personal communication. Section of Evolution and Ecology, University of California, Davis, CA.
- Shapiro, A. M. 1996. Status of butterflies. Pages 743–758 in Sierra Nevada Ecosystem Project, Final Report to Congress, vol. II, Assessments and scientific basis for management options. Univ. of California Centers for Water and Wildland Resources Rept. No. 37, Davis, California.

- Sheldon, A. L. 1968. Species diversity and longitudinal succession in stream fishes. *Ecology* 49:193–198.
- Shelford, V. E. 1963. *The ecology of North America*. Univ. Illinois Press, Urbana, Illinois. 610 pp.
- Shipley, B. and P. A. Keddy. 1987. The individualistic and community-unit concepts as falsifiable hypotheses. *Vegetatio* 69:47–55.
- Sieving, K. E. and M. F. Willson. 1998. Nest predation and avian species diversity in northwestern forest understory. *Ecology* 79(7):2391–2402.
- Simmons, C. L., L. P. Pedigo, and M. E. Rice. 1998. Evaluation of seven sampling techniques for wireworms. *Environ. Entomology* 27(5):1062–1068.
- Skellam, J. G. 1951. Random dispersal in theoretical populations. *Biometrika* 38:196–218.
- Slade, N. A., M . A. Eifler, N. M. Gruenhagen, and A. L. Davelos. 1993. Differential effectiveness of standard and long sherman livetraps in capturing small mammals. *J. Mammalogy* 74: 156–161.
- Smith, C. D., D. M. Harper, and P. J. Barham. 1990. Engineering operations and invertebrates: linking hydrology with ecology. *Regulated River Res. and Manage.* 5(1):89–96.
- Smith, G. L. 1973. A flora of the Tahoe basin and neighboring areas. *Wasmann Journal of Biology* 31(1). Univ. San Francisco, San Francisco, California.
- Smith, G. L. 1983. Supplement to a flora of the Tahoe basin and neighboring areas. *Wasmann Journal of Biology* 41(1 and 2). Univ. San Francisco, San Francisco, California.
- Smith, M. O., S. L. Ustin, J. B. Adams, and A. R. Gillespie. 1990. Vegetation in deserts: II. Environmental influences on regional abundance. *Remote Sensing of Environ.* 31(1):27–52.
- Sokal, R. R. and F. J. Rohlf. 1981. *Biometry*. 2nd ed. W.H. Freeman and Co., San Francisco, California.
- Soulé, M. E. and D. Simberloff. 1986. What do genetics and ecology tell us about the design of nature reserves? *Biol. Conserv.* 35:19–40.
- Soulé, M. E., ed. 1986. *Conservation biology: the science of scarcity and diversity*. Sinauer Associates, Sunderland, Massachusetts.
- Southwood, T. R. E. 1978. *Ecological methods: with particular reference to the study of insect populations*. 2nd ed. John Wiley and Sons, New York.
- SPSS. 1993. *SPSS professional statistics 6.1*. SPSS Inc., Chicago, Illinois.
- Statzner, B. and B. Higler. 1985. Questions and comments on the river continuum concept. *Can. J. Fish. Aquat. Sci.* 42:1038 –1044.

- Stebbins, G. L. 1980. Flowering plant, evolution above the species level. Harvard Univ. Press, Cambridge, Massachusetts.
- Stebbins, G. L. and J. Major. 1965. Endemism and speciation in the California flora. *Ecol. Monogr.* 35:1–35.
- Stebbins, R.C. 1985. A field guide to western reptiles and amphibians. Boston: Houghton Mifflin Company.
- Stewart, A. M. 1978. Grass Lake Area, Summer 1978. Unpublished report on file with USDA Forest Service, Lake Tahoe Basin Management Unit, South Lake Tahoe, California.
- Storer, T. I. and R. L. Usinger. 1963. Sierra Nevada natural history. Univ. Calif. Press, Berkeley, California.
- Strahler, A. N. 1957. Quantitative analysis of watershed geomorphology. *Amer. Geophysical Union Trans.* 38:913–920.
- Strong, T. R. and C. E. Bock. 1990. Bird species distribution patterns in riparian habitats in southeastern Arizona. *Condor* 92:866–885.
- Sutton, S. L. and N. M. Collins. 1991. Insects and tropical forest conservation. Pages 405–424 in N. M. Collins and J. A. Thomas, eds. *The conservation of insects and their habitats*. Academic Press, London, England.
- Swarth, C. 1990a. Killdeer. Pages 192-193 in Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White, eds. *California's wildlife, volume II: birds*. California Department of Fish and Game, Sacramento, California.
- Swarth, C. 1990b. Spotted Sandpiper. Pages 210-211 in Zeiner, D.C., W.F. Laudenslayer, Jr., K.E. Mayer, and M. White, eds. *California's wildlife, volume II: birds*. California Department of Fish and Game, Sacramento, California.
- Swihart, R. K. and N. A. Slade. 1990. Long-term dynamics of an early successional small mammal community. *Amer. Midl. Nat.* 123:372–382.
- Szaro, R. C. 1977. Factors influencing bird populations in southwestern riparian forests. Pages 403–418 in R. R. Johnson and D. A. Jones, tech. coords. *Importance, preservation, and management of riparian habitat: a symposium*. USDA For. Serv. Gen. Tech. Rept. RM-GTR-43. Rocky Mountain Station, Fort Collins, Colorado.
- Szaro, R. C. 1989. Riparian forest and scrubland community types of Arizona and New Mexico. *Desert Plants* 9:69–138.
- Terborgh, J. 1971. Distribution on environmental gradients: theory and a preliminary interpretation of distributional patterns in the avifauna of the Cordillera Vilcabamba, Peru. *Ecology* 53:23–40.
- Terborgh, J. 1977. Bird species diversity on an Andean elevational gradient. *Ecology* 58:1007–1019.

- Terborgh, J. and J. S. Weske. 1975. The role of competition in the distribution of Andean birds. *Ecology* 56:562–576.
- Tew, R. K. 1970. Seasonal Variation in the nutrient content of aspen foliage. *J. Wildl. Mange.* 34(2):475–478.
- Thelander, C. G. and M. Crabtree, eds. 1994. *Life on the edge: a guide to California's endangered natural resources.* Heyday Books, Berkeley, California.
- Thomas, C. D. and H. C. Mallorie. 1985. Rarity, species richness and conservation: butterflies of the Atlas Mountains in Morocco. *Biol. Conserv.* 33: 95–117.
- Thompson, F. R. and M. J. Schwalbach. 1995. Analysis of sample size, counting time, and plot size from an avian point count survey on Hoosier National Forest, Indiana. Pages 45–48 in C. J. Ralph, J. R. Sauer, and S. Droege, eds. *Monitoring bird populations by point counts.* USDA For. Serv. Gen. Tech. PSW-GTR-149. Pacific Southwest Station, Berkeley, California.
- Tilman, D. 1982. Resource competition and community structure. Princeton Univ. Press, Princeton, New Jersey.
- Tilman, D. 1990. Constraints and tradeoffs: toward a predictive theory of competition and succession. *Oikos* 58:3–15.
- Tilman, D. and S. Pacala. 1993. The maintenance of species richness in plant communities. Pages 147–158 in R. E. Ricklefs and D. Schlüter, eds. *Species diversity in ecological communities: historical and geographical perspectives.* Univ. Chicago Press, Chicago, Illinois.
- Tockner, K., F. Schiemer, C. Baumgartner, G. Kum, E. Weigand, I. Zweimueller, and J. V. Ward. 1999. The Danube restoration project: species diversity patterns across connectivity gradients in the floodplain system. *Regulated Rivers Res. and Manag.* 15:245–258.
- Tonn, W. M. and J. J. Magnuson. 1982. Patterns in the species composition and richness of fish assemblages in northern Wisconsin lakes. *Ecology* 63:1149–60.
- TRPA and USDA. 1971. *Hydrology and water resources of the Lake Tahoe region: a guide for planning.* Unpubl. rept. Tahoe Regional Planning Agency and USDA Forest Service, Zephyr Cove, Nevada.
- TRPA. 1982. Environmental impact statement for the establishment of environmental threshold carrying capacities. Unpubl. rept. Tahoe Regional Planning Agency, Zephyr Cove, Nevada.
- TRPA. 1986a. Resolution of the governing body of the Tahoe Regional Planning Agency adopting environmental threshold carrying capacities for the Lake Tahoe region. Tahoe Regional Planning Agency, Zephyr Cove, Nevada.
- TRPA. 1986b. *Regional plan for the Lake Tahoe basin: goals and policies.* Tahoe Regional Planning Agency, Zephyr Cove, Nevada.

- TRPA. 1997. Draft Environmental Improvement Program for the Lake Tahoe region. Tahoe Regional Planning Agency, Zephyr Cove, Nevada.
- Tyler, T., W.J. Liss, L.M. Ganio, G.L. Larson, R. Hoffman, E. Deimling, and G. Lomnický.
 1998. Interaction between introduced trout and larval salamanders (*Ambystoma macractylum*) in high-elevation lakes. *Conservation Biology* 12(1): 94-105.
- U. S. Office of Technology Assessment. 1987. Technologies to maintain biological diversity--summary.
- Udvárdy, M. D. F. 1969. Dynamic zoogeography, with special reference to land animals. Van Nostrand Reinhold Co., New York.
- Udvárdy, M. D. F. 1975. A classification of the biogeographical provinces of the world. IUCN Occasional paper no. 18. International Union for conservation of nature and natural resources. Moreges, Switzerland.
- Ugland, K. I. and J. S. Gray. 1982. Log normal distributions and the concept of community equilibrium. *Oikos* 39:171–178.
- UNESCO. 1974. Report of the task force on criteria and guidelines for the choice and establishment of biosphere reserves. UNESCO MAB Rept. Series C22.
- USDA. 1988. Land and resource management plan: Lake Tahoe Basin Management Unit. USDA Forest Service, Pacific Southwest Region, South Lake Tahoe, California.
- USDA. 1990. Riparian area management: what can remote sensing contribute? USDA Forest Service, Pacific Southwest Region, Vallejo, CA.
- USDA. 1991a. Existing vegetation. USDA Forest Service Remote Sensing Laboratory, Pacific Southwest Region, Rancho Cordova, CA.
- USDA. 1991b. Wildlife and vegetation of unmanaged Douglas-fir forests. Gen. Tech. Rep. PNW-GTR-285. USDA Forest Service, Pacific Northwest Research Station, Portland, OR.
- USDA. 1997. Forest Inventory and Analysis users guide. Unpubl. ms. USDA Forest Service, Pacific Southwest Region, Vallejo, California.
- USDA. 1998. Region Five Sensitive Species List (June 10, 1998 Revision). USDA Forest Service, Pacific Southwest Region, Vallejo, CA.
- USDA. 2000. Sierra Nevada forest plan amendment: Final Environmental Impact Statement. USDA Forest Service, Pacific Southwest Region, Vallejo, CA.
- USDA. No date. ROS users guide. USDA Forest Service, Pacific Southwest Region, Vallejo, California.
- USGS. 1994. Development and documentation of spatial data bases for the Lake Tahoe basin, California and Nevada. U. S. Geological Survey water resources investigations report 93-4182, Carson City, Nevada.

- Uyehara, J. C. and P. M. Narins. 1995. Nest defense by willow flycatchers to brood-parasitic intruders. *Condor* 97(2):361–368.
- Vannote, R. L., G. W. Minshall, K. W. Cummins, J. R. Sedell, and C. E. Cushing. 1980. The river continuum concept. *Can. J. Fish. Aquat. Sci.* 37:130–137.
- Vazquez, J. A. and T. J. Givnish. 1998. Altitudinal gradients in tropical forest composition, structure and diversity in the Sierra de Manantlan. *J. Ecology* 86:999–1020.
- Verner, J. 1988. Aspen. Pages 66–67 in Mayer, K.E. and W.F. Laudenslayer, Jr., eds. *A guide to wildlife habitats of California*. California Department of Fish and Game, Sacramento, California.
- Verner, J. and A. S. Boss, eds. 1980. *California wildlife and their habitats: western Sierra Nevada*. USDA For. Serv. Gen. Tech. Rept. PSW-GTR-37. Pacific Southwest Station, Berkeley, California.
- Verner, J. and T. A. Larson. 1989. Richness of breeding bird species in mixed conifer forests of the Sierra Nevada, California. *Auk* 106:447–463.
- Verner, J. and K. L. Purcell. 1988. Subalpine conifer. Pages 40–41 in K. E. Mayer and W. F. Laudenslayer, eds. *A guide to wildlife habitats of California*. California Dept. of Forestry and Fire Protection, Sacramento, California.
- Walter, H. S. 1998. Land-use conflicts in California. Pages 107–126 in P. W. Rundel, G. Montenegro, and F. M. Jaksic, eds. *Landscape disturbances in Mediterranean-type ecosystems*. Ecological Studies, vol. 136. Springer, New York.
- Ward, J. V. 1992. *Aquatic insect ecology: 1. Biology and habitat*. John Wiley and Sons, New York.
- Wardle, D. A., G. M. Barker, K. I. Bonner, and K. S. Nicholson. 1998. Can comparative approaches based on plant ecophysiological traits predict the nature of biotic interactions and individual plant species effects in ecosystems? *J. Ecology* 86:405–420.
- Warkentin, I. G. and J. M. Reed. 1999. Effects of habitat type and degradation on avian species richness in Great Basin riparian habitats. *Great Basin Nat.* 59(3):205–212.
- Weatherspoon, C. P., S. J. Husari, and J. W. van Wagendonk. 1992. Fire and fuels management in relation to owl habitat in forests of the Sierra Nevada and southern California. Pages 247–260 in J. Verner, K. S. McKelvey, B. R. Noon, R. J. Gutierrez, G. I. Gould Jr., and T. W. Beck, tech. coords. *The California spotted owl: a technical assessment of its current status*. USDA For. Serv. Gen. Tech. Rept. PSW-GTR-133. Pacific Southwest Station, Berkeley, California.
- Weeden, N. F. 1996. *A Sierra Nevada Flora*. 4th ed. Wilderness Press, Berkeley, California.
- Weeks, R. D. and N. E. McIntyre. 1997. A comparison of live versus kill pitfall trapping techniques using various killing agents. *Entomologia Experimentalis et Applicata* 82:267–273.

- Weiher, E., and C. W. Boylen. 1994. Patterns and prediction of and diversity of aquatic plants in Adirondack (New York) lakes. *Canadian Journal of Botany* 72:1797–1804.
- Welsh, H. H., Jr. 1994. Bioregions: an ecological and evolutionary perspective and a proposal for California. *Calif. Fish and Game* 80(3):97–124.
- Wettstein, W. and B. Schmid. 1999. Conservation of arthropod diversity in montane meadows: effect of altitude, habitat quality and habitat fragmentation on butterflies and grasshoppers. *J. Applied Ecology* 36(3):363–373.
- Whitney, S. 1979. A Sierra Club naturalist's guide: the Sierra Nevada. Sierra Club Books, San Francisco, California.
- Whittaker, R. H. 1967. Gradient analysis of vegetation. *Biol. Review* 42:207–264.
- Whittaker, R. H. 1972. Evolution and measurement of species diversity. *Taxon* 21:213–251.
- Whittaker, R. H. 1975. Communities and ecosystems. 2nd ed. MacMillan Publ., New York.
- Whittaker, R. H. and W. A. Niering. 1975. Vegetation of the Santa Catalina Mountains, Arizona. *Ecology* 56:771–790.
- Wiens, J. A. 1989. Spatial scaling in ecology. *Functional Ecol.* 3:385–397.
- Wilcove, D. S., C. H. McLellan, and A. P. Dobson. 1986. Habitat fragmentation in the temperate zone. In M. E. Soulé (ed.), *Conservation Biology: The Science of Scarcity and Diversity*. Pp. 237–256. Sinauer Associates, Sunderland, Mass.
- Williams, B. L. and B. G. Marcot. 1991. Use of biodiversity indicators for analyzing and managing forest landscapes. *Trans, 56th N. Amer. Wildl. and Nat. Res. Conf.*, Washington, DC. Wildl. Mgmt. Inst., Washington, DC.
- Williams, C. B. 1943. Area and the number of species. *Nature* 152:264–267.
- Williams, G. R. and D. R. Given. 1981. The Red Data Book of New Zealand: rare and endangered species of endemic terrestrial vertebrates and vascular plants. Nature Conservation Council, Wellington, New Zealand.
- Williams, P., D. Gibbons, C. Margules, A. Rebelo, C. Humphries, and R. Pressey. 1996. A comparison of richness hotspots, rarity hotspots, and complementary areas for conserving diversity of British birds. *Conserv. Biol.* 10(1):155–174.
- Williams, S. E. 1997. Patterns of mammalian species richness in the Australian tropical rainforests: are extinctions during historical contractions of the rainforest the primary determinants of current regional patterns in biodiversity? *Wildl. Res.* 24(5):513–530.
- Wilson, E. O. and F. M. Peter, eds. 1988. *Biodiversity*. Nat. Academy Press, Washington, D.C.
- Wilson, M. V. and A. Schmida. 1984. Measuring beta diversity with presence–absence data. *J. Ecology* 72:1055–1064.

- Winternitz, B. L. 1980. Birds in aspen. Pages 247–257 in R. M. DeGraff, tech. coord. Workshop proceedings: Management of western forests and grasslands for nongame birds. USDA For. Serv. Gen. Tech. Rept. INT-GTR-66. Intermountain Station, Ogden, Utah.
- Wolff, J. O. 1980. The role of habitat patchiness in the population dynamics of snowshoe hares. *Ecol. Monogr.* 50:111–130.
- Wright, D. H., D. J. Currie, and B. A. Maurer. 1993. Energy supply and patterns of species richness on local and regional scales. Pages 66–74 in R. E. Ricklefs and D. Schlüter, eds. *Species diversity in ecological communities: historical and geographical perspectives*. Univ. Chicago Press, Chicago, Illinois.
- Wylie, J. L. and D. J. Currie. 1993. Species-energy theory and patterns of species richness: I. Patterns of bird, angiosperm, and mammal species richness on islands. *Biol. Conserv.* 63:137–144.
- Yates, M. G., J. D. Goss-Custard, S. McGrorty, K. H. Lakhani, S. E. A. Le V. Dit Durell, R. T. Clarke, W. E. Rispin, I. Moy, T. Yates, R. A. Plant, and A. J. Frost. 1993. Sediment characteristics, invertebrate densities and shorebird densities on the inner banks of the Wash. *Journal of Applied Ecology* 30: 599–614.
- Young, B. E., D. DeRosier, and G. V. N. Powell. 1998. Diversity and conservation of understory birds in the Tilaran Mountains, Costa Rica. *Auk* 115(4):998–1016.
- Youngblood, A. P. and F. M. Mueggler. 1981. Aspen community types on the Bridger-Teton National Forest in western Wyoming. USDA For. Serv. Res. Paper INT-272. Intermountain Station, Ogden, Utah.
- Zeiner, D.C., W. F. Laudenslayer, Jr., and K. E. Mayer, eds. 1988. California's wildlife, volume I: amphibians and reptiles. California Department of Fish and Game, Sacramento, California.
- Zeiner, D. C., W. F. Laudenslayer, K. E. Mayer, and M. White, eds. 1990a. California's wildlife, Vol. II, Birds. California Dept. of Fish and Game, Sacramento, California.
- Zeiner, D. C., W. F. Laudenslayer, K. E. Mayer, and M. White, eds. 1990b. California's wildlife, Vol. III, Mammals. California Dept. of Fish and Game, Sacramento, California.
- Zhang, W. 1998. Changes in species diversity and canopy cover in steppe vegetation in Inner Mongolia under protection from grazing. *Biodiversity and Conserv.* 7(10):1365–1381.
- Zimmerman, J. C., L. E. Wald, and P. G. Rowlands. 1999. Vegetation diversity in an interconnected ephemeral riparian system of north-central Arizona, USA. *Biol. Conserv.* 90:217–228.
- Zweifel, R. G. 1955. Ecology, distribution, and systematics of frogs of the *Rana boylei* group. *Univ. Calif. Publ. Zool.* 54(4):207–292.